

SWIMMING POOL RULES

(revised 6/07)

**“POOL” means above ground, in-ground, inflatable or blow-up, hot tubs, spas, and fixed in place wading pools.
All alarms, barriers and inspections are New York State law.**

POOL TYPE	DIMENSIONS	POOL PERMIT	BARRIER	POOL ALARM	DOOR ALARM	ELECTRICAL INSPECTION	FINAL INSPECTION
<u>ALL</u> existing inflatable. <u>ALL</u> existing above ground substantially modified. <u>ANY</u> type of new pool	21 in. high up to & including 47 in. high.	No fee existing pool. \$15. new Pool minimum 6 ft. from lot lines. Back or side yard only.	Required *See below	<u>Required</u> as of 12/06 at pool plus remote Must be number ASTM F2208	Required if direct access to pool from any building	Required by Electrical Inspector for electric done. (fee charged). Inspector list available	Required by Code Officer before using pool
<u>ALL</u> existing inflatable. <u>ALL</u> existing above ground substantially modified. <u>ANY</u> type of new pool.	48 in. high & over.	No fee existing pool \$15. new Pool minimum 6 ft. from lot lines. Back or side yard only.	Required for ALL inflatable. Other pool types not required IF rules followed *See below	<u>Required</u> as of 12/06 at pool plus remote Must be number ASTM F2208	Required if direct access to pool from any building	Required by Electrical Inspector for electric done. (fee charged). Inspector list available	Required by Code Officer before using pool
<u>ALL</u> existing in-ground substantially modified. <u>ALL</u> new In ground	Any size	No fee existing pool. \$15. new Pool minimum 6 ft. from lot lines. Back or side yard only.	Required *See below	<u>Required</u> as of 12/06 at pool plus remote Must be number ASTM F2208	Required if direct access to pool from any building	Required by Electrical Inspector for electric done. (fee charged). Inspector list available	Required by Code Officer before using pool
In ground – any size	Fill in	\$15.					Required by Code Officer
Hot tubs and Spas	Any size	No fee existing. \$15. new Min. 6 ft. from lot lines Back or side yard only.	Not required IF safety cover complies with ASTM F1346 (2003) safety standards	Not required IF safety cover complies with ASTM F1346 (2003) safety standards	Required if direct access from any building.	Required by Electrical Inspector for electric done. (fee charged). Inspector list available	Required by Code Officer before using.
Decks	Over 100 sq.ft. requires permit	\$.05 sq ft Minimum \$25	Discuss with Code Officer		Discuss with Code Officer		Required by Code Officer

“BARRIER” defined as a “fence, wall, building, or combination thereof which completely surrounds the pool and obstructs access to the pool.”

Barrier requirements: **Rigid** material. Minimum 4 ft high. Maximum 6 ft. high. \$15.00 Permit for solid barrier, such as stockade fence. Must not allow passage of children. Must be constructed so as to prevent climbing. Must have self-closing and self-latching gates.

Barrier not required IF: Pool walls at least 48 inches above ground and made of **rigid** material. If pool is less than 48 inches high, barrier can be placed on top of pool to make up difference but it must be of **rigid** material. If you want or need to put up a barrier, see above barrier requirements.